ELSEVIER

Analytica Chimica Acta 357 (1997) 269–271

ANALYTICA CHIMICA ACTA

Author Index

Abrahamsson, K., see Ekdahl, A. 197
Arnold, M.A., see Spear, S.K. 79

Barmin, A., see Makower, A. 13
Bier, F., see Makower, A. 13
Blank, A.B., see Pulyayeva, I.V. 239
Brinkman, U.A.T., see Emteborg (b. Stigbrand), M. 111
Bulska, E.
—, Wałcerz, M., Jędral, W. and Hulanicki, A.
On-line preconcentration of lead and cadmium for flame atomic absorption spectrometry using a flow-through electrochemical microcell 133
Byrne, R.H., see Waterbury, R.D. 99

Cardwell, T.J., see Sulistyarti, H. 103
Casella, I.G.
—, Gatta, M., Guascito, M.R. and Cataldi, T.R.I.
Highly-dispersed copper microparticles on the active gold substrate as an amperometric sensor for glucose 63
Cataldi, T.R.I., see Casella, I.G. 63
Chiang, K.-L.
—, Krull, U.J. and Nikolelis, D.P.
Ellipsometric determination of the structure of surface-stabilized bilayer lipid membranes on silver metal 73
Coldiron, S.J., see Vaidya, B. 167

Dewald, H.D., see Petrovic, S.C. 33
du Plessis, H., see van Staden, J.F. 141
Ducey, Jr., M.W.
—, Smith, A.M., Guo, X. and Meyerhoff, M.E.
Competitive nonseparation electrochemical enzyme binding/immunoassay (NEEIA) for small molecule detection 5

Eaton, S., see Myler, S. 55
Egberink, R.J.M., see Lugtenberg, R.J.W. 225
Ekdahl, A.
— and Abrahamsson, K.
A simple and sensitive method for the determination of volatile halogenated organic compounds in sea water in the amol l^{-1} to pmol l^{-1} range 197
Emteborg (b. Stigbrand), M.
—, Irgum, K., Gooijer, C. and Brinkman, U.A.T.
Peroxyoxalate chemiluminescence in aqueous solutions: Coupling of immobilized enzyme reactors and 1,1-oxalyldiimidazole chemiluminescence reaction to flow-injection analysis and liquid chromatographic systems 111

Engbersen, J.F.J., see Lugtenberg, R.J.W. 225
Eremenko, A., see Makower, A. 13
Experiandova, L.P., see Pulyayeva, I.V. 239

Filipjeva, N.V., see Kolytcheva, N.V. 231
Fukasawa, K., see Hasebe, Y. 51
Funazo, K., see Miura, M. 177

Gatta, M., see Casella, I.G. 63
Gooijer, C., see Emteborg (b. Stigbrand), M. 111
Grummt, U.-W.
—, Pron, A., Zagorska, M. and Lefrant, S.
Polyaniline based optical pH sensor 253
Guascito, M.R., see Casella, I.G. 63
Guo, X., see Ducey, Jr., M.W. 5

Haghighi, B.
—, Maleki, N. and Safavi, A.
Standard additions in flow injection analysis with atomic absorption spectrometry 151
Haraldsson, C., see Lyvén, B. 187
Hasebe, Y.
—, Yokobori, K., Fukasawa, K., Kogure, T. and Uchiyama, S.
Highly sensitive electrochemical determination of *Escherichia coli* density using tyrosinase-based chemically amplified biosensor 51
Hassellöv, M., see Lyvén, B. 187
Higson, S.P.J., see Myler, S. 55
Huang, X., see Zhu, M. 261
Hulanicki, A., see Bulska, E. 133

Ikebukuro, K., see Yano, K. 91
Irgum, K., see Emteborg (b. Stigbrand), M. 111

Jędral, W., see Bulska, E. 133
Jagner, D., see Renman, L. 157
Jiang, S.-J., see Wann, C.-C. 211
Jin, W.J., see Zhang, H.R. 119

Karube, I., see Yang, Z. 41
Karube, I., see Yano, K. 91
Kogure, T., see Hasebe, Y. 51
Kolev, S.D., see Sulistyarti, H. 103
Kolytcheva, N.V.
—, Petrukhin, O.M., Filipjeva, N.V., Spivakov, B.Y. and Myasoedov, B.F.
PVC-matrix membrane ion-selective sensors for gold determination in cyanide solutions 231

Krull, U.J., see Chiang, K.-L. 73
Kurochkin, I., see Makower, A. 13

Lefrant, S., see Grummt, U.-W. 253
Li, J.
— and Xu, H.
Determination of branched carbon number distribution of polyacrylate by liquid chromatography 219
Li, J., see Zhu, M. 261
Liu, C.S., see Zhang, H.R. 119
Liu, H., see Qin, W. 127
Lugtenberg, R.J.W.
—, Egberink, R.J.M., Engbersen, J.F.J. and Reinhoudt, D.N.
Polysiloxane based CHEMFETs for selective detection of Ca^{2+} ions 225
Lundström, I., see Winquist, F. 21
Lyvén, B.
—, Hassellöv, M., Haraldsson, C. and Turner, D.R.
Optimisation of on-channel preconcentration in flow field-flow fractionation for the determination of size distributions of low molecular weight colloidal material in natural waters 187

Ma, L., see Wang, E. 85
Makower, A.
—, Barmin, A., Morzunova, T., Eremenko, A., Kurochkin, I., Bier, F. and Scheller, F.
Affinity enzymometric assay for detection of organophosphorus compounds 13
Maleki, N., see Haghighi, B. 151
Matsui, J., see Yano, K. 91
Meyerhoff, M.E., see Ducey, Jr., M.W. 5
Miura, M.
—, Funazo, K. and Tanaka, M.
Chiral separation of several naphthalenesulfonylamino acids by capillary zone electrophoresis with selectively methylated cyclodextrin derivatives 177
Morzunova, T., see Makower, A. 13
Myasoedov, B.F., see Kolytcheva, N.V. 231
Myler, S.
—, Eaton, S. and Higson, S.P.J.
Poly(*o*-phenylenediamine) ultra-thin polymer-film composite membranes for enzyme electrodes 55

Nakagiri, T., see Yano, K. 91
Nikolelis, D.P., see Chiang, K.-L. 73

Patel, H., see Wang, E. 85
Patterson, S.L., see Spear, S.K. 79
Petrovic, S.C.
— and Dewald, H.D.
Square-wave anodic stripping voltammetry of Zn(II) as a method for probing instabilities at a glassy carbon mercury film microelectrode 33
Petrukhin, O.M., see Kolytcheva, N.V. 231
Porter, M.D., see Vaidya, B. 167
Pringsheim, E.
—, Terpetschnig, E. and Wolfbeis, O.S.
Optical sensing of pH using thin films of substituted polyanilines 247
Pron, A., see Grummt, U.-W. 253
Pulyayeva, I.V.
—, Yegorova, N.L., Experiandova, L.P. and Blank, A.B.
Investigation of a new reaction for the determination of microquantities of sulfite in some inorganic salts 239

Qin, W.
—, Zhang, Z. and Liu, H.
Chemiluminescence flow sensor for the determination of vitamin B_{12} 127

Reinhoudt, D.N., see Lugtenberg, R.J.W. 225
Renman, L.
— and Jagner, D.
Asymmetric distribution of results in calibration curve and standard addition evaluations 157

Safavi, A., see Haghighi, B. 151
Sasaki, S., see Yang, Z. 41
Scheller, F., see Makower, A. 13
Shen, H., see Zhu, M. 261
Smith, A.M., see Ducey, Jr., M.W. 5
Spear, S.K.
—, Patterson, S.L. and Arnold, M.A.
Flow-through fiber-optic ammonia sensor for analysis of hippocampus slice perfusates 79
Spivakov, B.Y., see Kolytcheva, N.V. 231
Sulistyarti, H.
—, Cardwell, T.J. and Kolev, S.D.
Determination of cyanide as tetracyanonickelate(II) by flow injection and spectrophotometric detection 103
Suzuki, H., see Yang, Z. 41

Tagami, K., see Uchida, S. 1
Takeuchi, T., see Yano, K. 91
Taljaard, R.E., see van Staden, J.F. 141
Tanaka, M., see Miura, M. 177
Terpetschnig, E., see Pringsheim, E. 247
Turner, D.R., see Lyvén, B. 187

Uchida, S.
— and Tagami, K.
Improvement of Tc separation procedure using a chromatographic resin for direct measurement by ICP-MS 1
Uchiyama, S., see Hasebe, Y. 51

Vaidya, B.
—, Watson, S.W., Coldiron, S.J. and Porter, M.D.
Reduction of chloride ion interference in chemical oxygen demand (COD) determinations using bismuth-based adsorbents 167
van Staden, J.F.
—, du Plessis, H. and Taljaard, R.E.
Determination of iron(III) in pharmaceutical samples using dialysis in a sequential injection analysis system 141

Wałcerz, M., see Bulska, E. 133

Wang, E.
—, Zhu, L., Ma, L. and Patel, H.
Optical sensors for sodium, potassium and ammonium ions based on lipophilic fluorescein anionic dye and neutral carriers 85
Wann, C.-C.
— and Jiang, S.-J.
Determination of vanadium species in water samples by liquid chromatography-inductively coupled plasma mass spectrometry 211
Waterbury, R.D.
—, Yao, W. and Byrne, R.H.
Long pathlength absorbance spectroscopy: trace analysis of Fe(II) using a 4.5 m liquid core waveguide 99
Watson, S.W., see Vaidya, B. 167
Wei, Y.S., see Zhang, H.R. 119
Wide, P., see Winquist, F. 21
Winquist, F.
—, Wide, P. and Lundström, I.
An electronic tongue based on voltammetry 21
Wolfbeis, O.S., see Pringsheim, E. 247

Xu, H., see Li, J. 219

Yang, Z.
—, Sasaki, S., Karube, I. and Suzuki, H.
Fabrication of oxygen electrode arrays and their incorporation into sensors for measuring biochemical oxygen demand 41
Yano, K.
—, Nakagiri, T., Takeuchi, T., Matsui, J., Ikebukuro, K. and Karube, I.
Stereoselective recognition of dipeptide derivatives in molecularly imprinted polymers which incorporate an L-valine derivative as a novel functional monomer 91
Yao, W., see Waterbury, R.D. 99
Yegorova, N.L., see Pulyayeva, I.V. 239
Yokobori, K., see Hasebe, Y. 51

Zagorska, M., see Grummt, U.-W. 253
Zhang, H.R.
—, Zhang, J., Wei, Y.S., Jin, W.J. and Liu, C.S.
Study of new facile deoxygenation methods in cyclodextrin induced room temperature phosphorescence 119
Zhang, J., see Zhang, H.R. 119
Zhang, Z., see Qin, W. 127
Zhu, L., see Wang, E. 85
Zhu, M.
—, Huang, X., Li, J. and Shen, H.
Peroxidase-based spectrophotometric methods for the determination of ascorbic acid, norepinephrine, epinephrine, dopamine and levodopa 261